

OM nucleic - nucleic search, using sw model

Run on: March 7, 2007, 12:57:57 ; Search time 567 Seconds
(without alignments)
653.489 Million cell updates/sec

Title: US-10-751-113-3

Perfect score: 50
Sequence: 1 tgcacgtgataccaccaga.....actattccaatgatgatga 50

Scoring table: IDENTITY_NUC
Gapop 10.0, Gapext 1.0.

Searched: 5620219 seqs, 3705283702 residues

Total number of hits satisfying chosen parameters: 11240438

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : N_Geneseq_200701:*
1: Geneseqn1980s:*
2: Geneseqn1990s:*
3: Geneseqn2000s:*
4: Geneseqn2001as:*
5: Geneseqn2001bs:*
6: Geneseqn2002as:*
7: Geneseqn2002bs:*
8: Geneseqn2003as:*
9: Geneseqn2003bs:*
10: Geneseqn2003cs:*
11: Geneseqn2003ds:*
12: Geneseqn2004as:*
13: Geneseqn2004bs:*
14: Geneseqn2005s:*
15: Geneseqn2006s:*
16: Geneseqn2007s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	50	100.0	50	ABX11900	ABX11900 Human AIB

2	27.8	55.6	4239	14	ADV43475	Adv43475 Human psy
3	27.8	55.6	4263	12	ADU92834	Adi92834 Human co-
4	27.8	55.6	4495	14	AEC82913	Aec82913 Breast ca
5	27.8	55.6	4789	2	AAK80992	Aak80992 Human ste
6	27.8	55.6	6754	4	AAZ6490	Aaz6490 Human ste
7	27.8	55.6	6754	10	ADK67037	Adk67037 Gene #127
8	27.8	55.6	6754	14	ADY15855	Ady15855 DNA encod
9	27.8	55.6	6754	14	ADY16113	Ady16113 DNA encod
10	27.8	55.6	6754	14	ADY16117	Ady16117 DNA encod
11	27.8	55.6	6832	6	AAJ04039	Aaj04039 Human amp
12	27.8	55.6	6835	2	AAV99915	Aav99915 AIB1 (Amp
13	27.8	55.6	6835	14	ADY19927	Ady19927 DNA encod
14	27.8	55.6	6835	14	AED18120	Aed18120 Fibrotic
15	27.8	55.6	6845	10	ADE76189	Ade76189 Human AIB
16	27.8	55.6	7088	15	AEF22148	Aef22148 Human bas
17	27.8	55.6	7116	10	ADE53851	Ade53851 Human pro
18	27.8	55.6	7923	15	AEH88178	Aeh88178 Human nuc
19	27.8	55.6	7935	15	AEH88176	Aeh88176 Human nuc
20	27.8	55.6	7994	14	ADY16115	Ady16115 DNA encod
21	27.8	55.6	8207	10	ADP81691	Adp81691 Leukaemia
22	27.8	55.6	8207	10	ADP81690	Adp81690 Leukaemia
23	27.8	55.6	12414	14	AEK47654	Aek47654 Nucleotid
24	27.6	55.2	34	8	ABX11899	Abx11899 Human AIB
25	26.4	52.8	403	9	ACH16713	Ach16713 Human adu
26	26.4	52.8	86453	14	ADY25730	Ady25730 SULF rela
27	26.4	52.8	264965	12	ADN16203	Adn16203 Human sul
28	26.4	52.8	26885	6	ABS56563	Abs56563 Human SUL
29	26.2	52.4	4621	2	AAV99919	Aav99919 Murine p/
30	25	50.0	35	8	ABX11898	Abx11898 Human AIB
31	25	50.0	888	13	ADR63401	Adr63401 Cotton CD
32	24.8	49.6	1179	4	AAK87368	Aak87368 Human imm
33	24.4	48.8	3361	2	AAK80993	Aak80993 Mouse ste
34	24.4	48.8	171936	6	ABS56565	Abs56565 Human SUL
35	24.4	48.8	171936	12	ADN16205	Adn16205 Mouse sul
36	24.2	48.4	1664	4	AAF74192	Aaf74192 DNA encod
37	24.2	48.4	110000	14	AEB39174_07	Continuation (13 o
38	24.2	48.4	110000	14	AEB42737_12	Continuation (13 o
39	24.2	47.6	864	8	ACA36808	Aca36808 Prokaryot
40	23.8	47.6	10199	6	ABQ71072	Abq71072 Listeria
41	23.8	47.6	44528	6	ABA03041_29	Continuation (30 o
42	23.8	47.6	169659	12	ADQ59434	Adq59434 Human can
43	23.8	47.6	187851	14	ADQ13735	Adq13735 Human can
44	23.8	47.2	11614	14	AEB61172	Aeb61172 Human HRA
45	23.6	47.2	11614	14	AEB61172	Aeb61172 Human HRA

ALIGNMENTS

RESULT 1	ABX11900	standard; cDNA, 50 BP.
ID	ABX11900	
XX	ABX11900	
AC	ABX11900	
XX	ABX11900	
DT	16-MAY-2003	(first entry)
XX		

DE Human AIB1 delta3 isoform mRNA exon 2/exon 4 junction.

XX Human; ss: exon 2/exon 4 junction; amplified in breast cancer;

KW Chromosome 20q; transcription factor; antisense gene therapy; transgenic;

KW siRNA; small inhibitory RNA; cytosolic; intestinal cancer;

KW head and neck cancer; metastatic tissue cancer; neuroblastoma;

KW ovarian cancer; pancreatic cancer; prostate cancer; stomach cancer;

KW breast cancer; AIB1 delta3 isoform.

XX Homo sapiens.

OS

XX MO2003003904-A2.

PN 16-JAN-2003.

PD

XX 03-JUL-2002; 2002MO-US021066.

PF

XX 05-JUL-2001; 2001US-0302648P.

PR (GEOU) UNIV GEORGETOWN MEDICAL CENT.

XX

PA Riegel AT, Reiter R, Wellstein A;

XX

PI Riegel AT, Reiter R, Wellstein A;

XX WPI; 2003-221517/21.

DR

XX

XX New isolated AIB1 isoform as co-activator that potentiates

PT transcriptional activity of nuclear hormone receptors, useful for the

PT diagnosis, prevention and/or treatment of cancers, in particular breast

PT cancer.

XX

XX Example 6; Fig 9; 47pp; English.

PS

XX The invention relates to an isolated isoform of an amplified in breast

CC cancer 1 (AIB1) transcriptional co-activator. Also included are an

CC isolated nucleic sequences that encodes the isoform, a vector that

CC contains the nucleic acid, a recombinant cell that contains the nucleic

CC acid, a diagnostic kit for the detection of cancer (comprising chemical

CC substances that are specifically reactive to the AIB1 isoform or the

CC nucleic acid), an anti-AIB1 isoform antibody (or antibody fragment),

CC detection of cancer in a patient (comprising contacting a biological

CC sample obtained from the patient with at least one chemical substance

CC that specifically binds to the AIB1 isoform or the nucleic acid, and

CC detecting binding), a pharmaceutical composition (comprising an agent

CC that specifically binds to the AIB1 isoform, and prevents a co-activation

CC of a transcription factor when administered to a patient), an siRNA

CC (small inhibitory RNA) that inhibits expression of a transcriptional co-

CC activator protein, a transgenic animal comprising a recombinant gene that

CC encodes the AIB1 isoform and creating the transgenic animal. The

CC compositions comprising the AIB1 isoform or nucleic acids that bind to

CC the AIB1 isoform, are useful for the diagnosis, prevention and/or

CC treatment of disorders associated with the co-activator isoforms, such as

CC cancers of the intestines, head and neck, metastatic tissue,

CC neuroblastoma, ovaries, pancreas, prostate, stomach, and in particular

CC cancer of the breast. The gene for AIB1 is located on chromosome 20q. The

CC present sequence is the junction region of the AIB1 delta3 isoform mRNA

CC for exons 2 and 4 (unique to the delta3 isoform), which was targeted by

CC an siRNA

XX Sequence 50 BP; 18 A; 9 C; 11 G; 12 T; 0 U; 0 Other;

XX

XX Query Match 100.0%; Score 50; DB: 8; Length 50;

XX Best Local Similarity 100.0%; Pred. No. 3.2e-09;

XX Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

XX

DB 1 TGGCATGTGATCTCCAGACAGGCAAAACATTTCGAATGATGA 50

1 TGGCATGTGATCTCCAGACAGGCAAAACATTTCGAATGATGA 50

RESULT 2

ADV43475

ID ADV43475 standard; CDNA: 4239 BP.

XX

XX ADV43475;

AC

XX 10-MAR-2005 (first entry)

DT

XX

XX Human psychoneuroendocrinimmune expressed sequence tag SEQ ID NO 1103.

DE

XX

XX microarray; psychoneuroendocrinimmune; chronic fatigue;

KW non-insulin dependent diabetes; allergy; immune disorder; inflammation;

KW cancer; neoplasm; infection; expressed sequence tag; ss.

XX

XX Homo sapiens.

OS

XX

XX MO2004108899-A2.

PN

XX

XX 16-DEC-2004.

PD

XX

XX 04-JUN-2004; 2004MO-US017686.

PF

XX

XX 04-JUN-2003; 2003US-0475915P.

PR (USSH) US DEPT HEALTH & HUMAN SERVICES.

XX

PA Nicholson A, Vernon SD;

XX

PI WPI; 2005-031682/03.

DR

XX

XX New microarray comprising probes for genes involved in

PT psychoneuroendocrinimmune (PNI) activity, useful in diagnosing a

PT condition associated with PNI activity, e.g., inflammatory or infectious

PT diseases.

XX

XX Claim 1; SEQ ID NO 1103; 254pp; English.

PS

XX

XX The invention relates to a new microarray which comprises probes for

CC genes involved in psychoneuroendocrinimmune (PNI) activity. The

CC microarray is useful in diagnosing a condition associated with PNI

CC activity, such as CFS, type-2 diabetes, allergic condition, inflammation,

CC cancer and infection. The present sequence represents a

CC psychoneuroendocrinimmune gene expressed sequence tag. Note the

CC specificatio mentions SEQ ID NO of up to 3314 but only sequences up to

CC SEQ ID NO 1829 are provided.

OM nucleic - nucleic search, using sw model

Run on: March 7, 2007, 13:22:36 ; Search time 2477 Seconds
(without alignments)
1395.242 Million cell updates/sec

Title: US-10-751-113-3

Perfect score: 50

Sequence: 1 tgcacatgcatcactccagga.....actattccaatgatgata 50

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 7568541 seqs, 34560148153 residues

Total number of hits satisfying chosen parameters: 15137082

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%

Listing first 45 summaries

Database :

1: gb_env:*
2: gb_pat:*
3: gb_ph:*
4: gb_pl:*
5: gb_pr:*
6: gb_ro:*
7: gb_sts:*
8: gb_sy:*
9: gb_un:*
10: gb_vl:*
11: gb_ov:*
12: gb_hlg:*
13: gb_in:*
14: gb_cm:*
15: gb_ba:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result	No.	Score	Match	Length	DB	ID	Description
1	27.8	55.6	480	2	CQ712958		CQ712958 Sequence
2	27.8	55.6	4495	2	CS162240		CS162240 Sequence

3	27.8	55.6	4495	5	AF010227	AF010227 Homo sapi
4	27.8	55.6	4668	5	AF016031	AF016031 Homo sapi
5	27.8	55.6	4807	5	BC092516	BC092516 Homo sapi
6	27.8	55.6	5256	5	AB209863	AB209863 Homo sapi
7	27.8	55.6	6754	2	AX821998	AX821998 Homo sapi
8	27.8	55.6	6754	2	BD131717	BD131717 Antisense
9	27.8	55.6	6754	2	CS032155	CS032155 Sequence
10	27.8	55.6	6754	2	CS032413	CS032413 Sequence
11	27.8	55.6	6754	2	CS032417	CS032417 Sequence
12	27.8	55.6	6754	2	CS041107	CS041107 Sequence
13	27.8	55.6	6754	2	CS041365	CS041365 Sequence
14	27.8	55.6	6754	2	CS041369	CS041369 Sequence
15	27.8	55.6	6754	2	CS050236	CS050236 Sequence
16	27.8	55.6	6754	2	DD1219303	DD1219303 GENE EXPR
17	27.8	55.6	6754	2	AR086661	AR086661 Sequence
18	27.8	55.6	6754	5	AF036892	AF036892 Homo sapi
19	27.8	55.6	6755	2	CQ730100	CQ730100 Sequence
20	27.8	55.6	6832	2	AX384818	AX384818 Sequence
21	27.8	55.6	6835	2	BD192354	BD192354 Sequence
22	27.8	55.6	6835	2	AR116837	AR116837 Sequence
23	27.8	55.6	6835	2	CS036227	CS036227 Sequence
24	27.8	55.6	6835	2	CS045179	CS045179 Sequence
25	27.8	55.6	6835	5	AF012108	AF012108 Homo sapi
26	27.8	55.6	7433	5	BC119901	BC119901 Homo sapi
27	27.8	55.6	7433	5	BC122547	BC122547 Homo sapi
28	27.8	55.6	7994	2	CS032415	CS032415 Sequence
29	27.8	55.6	7994	2	CS041367	CS041367 Sequence
30	27.8	55.6	8207	2	AX780089	AX780089 Sequence
31	27.8	55.6	8207	2	AX780090	AX780090 Sequence
32	27.6	55.2	80086	4	AP003290	AP003290 Oryza sat
33	27.6	55.2	88558	4	CNS07PG	AL713935 Oryza sat
34	27.6	55.2	90750	4	AP003197	AP003197 Oryza sat
35	27.6	55.2	110000	4	AP008209_209	Continuation (210
36	27.6	55.2	110000	4	AP008209_210	Continuation (211
37	27.6	55.2	110000	4	AP008210_134	Continuation (135
38	27.6	55.2	110000	4	AP008210_147	Continuation (148
39	27.6	55.2	110000	4	AP008211_029	Continuation (130 o
40	27.6	55.2	110000	4	AP008211_099	Continuation (110 o
41	27.6	55.2	110000	4	AP008215_152	Continuation (153
42	27.6	55.2	110000	4	AP008216_091	Continuation (92 o
43	27.6	55.2	110000	4	AP008218_067	Continuation (68 o
44	27.6	55.2	110000	4	AP008218_195	Continuation (136
45	27.6	55.2	110000	4	AP008218_213	Continuation (214

ALIGNMENTS

RESULT 1	CQ712958	480 bp	DNA	linear	PAT 03-FRB-2004
LOCUS	CQ712958				
DEFINITION	Sequence 57884 from Patent WO2070737.				
ACCESSION	CQ712958				
VERSION	CQ712958.1	GI:42273815			
KEYWORDS					
SOURCE	Homo sapiens (human)				
ORGANISM	Homo sapiens				

OM nucleic - nucleic search, using sw model

Run on: March 7, 2007, 13:32:22 ; Search time 5206 Seconds
(without alignments)
595.861 Million cell updates/sec

Title: US-10-751-113-3
Perfect score: 50
Sequence: 1 tgcacatgcatctcccaaga.....actatttccaatgatgatga 50

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 53585215 seqs, 31020513797 residues
Total number of hits satisfying chosen parameters: 107170430

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :
1: gb_est1:*
2: gb_est3:*
3: gb_est4:*
4: gb_est5:*
5: gb_est6:*
6: gb_hic:*
7: gb_est2:*
8: gb_est7:*
9: gb_est8:*
10: gb_est9:*
11: gb_est13:*
12: gb_est12:*
13: gb_est11:*
14: gb_est10:*
15: gb_gse1:*
16: gb_gse2:*
17: gb_gse3:*
18: gb_gse4:*
19: gb_gse5:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

Result % Query SUMMARIES

No.	Score	Match	Length	DB	ID	Description
1	28.2	56.4	499	19	CT346760	CT346760 Sus scrofa
2	27.8	55.6	230	5	BK43165	BK43165 DREF2P781P
3	27.8	55.6	531	14	DB070018	DB070018 DB070018
4	27.8	55.6	532	14	DB060916	DB060916 DB060916
5	27.8	55.6	537	3	BM146766	BM146766 TCNAP1E73
6	27.8	55.6	545	14	DB071966	DB071966 DB071966
7	27.8	55.6	546	14	DA375387	DA375387 DA375387
8	27.8	55.6	556	14	DB091786	DB091786 DB091786
9	27.8	55.6	557	14	DB134417	DB134417 DB134417
10	27.8	55.6	566	14	DA328439	DA328439 DA328439
11	27.8	55.6	574	14	DB067714	DB067714 DB067714
12	27.8	55.6	581	4	BP353331	BP353331 BP353331
13	27.8	55.6	581	4	BP353869	BP353869 BP353869
14	27.8	55.6	582	4	BP280749	BP280749 BP280749
15	27.8	55.6	583	4	BP282535	BP282535 BP282535
16	27.8	55.6	583	4	BP310850	BP310850 BP310850
17	27.8	55.6	583	4	BP315317	BP315317 BP315317
18	27.8	55.6	588	14	DA189529	DA189529 DA189529
19	27.8	55.6	597	14	DA248756	DA248756 DA248756
20	27.8	55.6	609	1	AL698932	AL698932 DREF2P686F
21	27.8	55.6	665	13	DR005834	DR005834 TC116022
22	27.8	55.6	843	8	CD657296	CD657296 AGENCOURT
23	27.6	55.2	399	9	CIS38130	CIS38130 CIS38130
24	27.6	55.2	417	9	CIS40319	CIS40319 CIS40319
25	27.6	55.2	433	9	C1643011	C1643011 C1643011
26	27.6	55.2	908	19	AG891620	AG891620 Oryza sat
27	26.8	53.6	700	7	BB865389	BB865389 BB865389
28	26.6	53.2	668	18	DU475651	DU475651 109841573
29	26.4	52.8	718	2	BF270756	BF270756 CA_Eb000
30	26.2	52.4	294	13	DM626023	DM626023 UI-M-EXO-
31	26.2	52.4	394	7	AM153178	AM153178 ee36h11.Y
32	26.2	52.4	443	8	CF165306	CF165306 B0754H03-
33	26.2	52.4	469	9	CN682253	CN682253 E0161G12-
34	26.2	52.4	581	9	CN682136	CN682136 E0160C01-
35	26.2	52.4	637	7	BB659498	BB659498 BB659498
36	26.2	52.4	660	5	BY751007	BY751007 BY751007
37	26.2	52.4	672	7	BB865764	BB865764 BB865764
38	26.2	52.4	716	8	CB522550	CB522550 UI-M-GH0-
39	26.2	52.4	1960	6	AK137507	AK137507 Mus muscu
40	26.2	52.4	3923	6	AK156345	AK156345 Mus muscu
41	26.2	52.4	5131	6	AK142306	AK142306 Mus muscu
42	26.2	52.4	5237	6	BC086482	BC086482 Mus muscu
43	26	52.0	424	2	BF887288	BF887288 CP4-TN014
44	25.8	51.6	714	7	BB648365	BB648365 BB648365
45	25.8	51.6	721	2	BF215672	BF215672 601881152

ALIGNMENTS

RESULT 1
LOCUS CT346760 CT346760 499 bp DNA linear GSS 03-NOV-2005
DEFINITION Sus scrofa genomic clone CH242-41J6, genomic survey sequence.
ACCESSION CT346760

OM nucleic - nucleic search, using sw model

Run on: March 7, 2007, 14:13:51 : Search time 155 Seconds
(without alignments)
603.583 Million cell updates/sec

Title: US-10-751-113-3

Sequence: 1 tgcacatgatcaccacagga.....actattccatgatgatga 50

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1403666 seqs, 93554401 residues

Total number of hits satisfying chosen parameters: 2807332

Minimum DB seq length: 0

Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

- Issued_Patents_NA:*
- 1: /EMC_Celerra_SIDS3/ptodata/2/ina/1.COMB.seq:*
 - 2: /EMC_Celerra_SIDS3/ptodata/2/ina/5.COMB.seq:*
 - 3: /EMC_Celerra_SIDS3/ptodata/2/ina/6A.COMB.seq:*
 - 4: /EMC_Celerra_SIDS3/ptodata/2/ina/6B.COMB.seq:*
 - 5: /EMC_Celerra_SIDS3/ptodata/2/ina/7.COMB.seq:*
 - 6: /EMC_Celerra_SIDS3/ptodata/2/ina/H.COMB.seq:*
 - 7: /EMC_Celerra_SIDS3/ptodata/2/ina/PTUS.COMB.seq:*
 - 8: /EMC_Celerra_SIDS3/ptodata/2/ina/PP.COMB.seq:*
 - 9: /EMC_Celerra_SIDS3/ptodata/2/ina/RE.COMB.seq:*
 - 10: /EMC_Celerra_SIDS3/ptodata/2/ina/backfile1.seq:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	27.8	55.6	6760	3	US-09-949-016-4981
2	27.8	55.6	6835	3	US-09-125-635-1
3	26.4	52.8	15782	3	US-09-949-016-16723
4	26.2	52.4	4621	3	US-09-125-635-9
5	26.2	52.4	4860	3	US-09-445-353E-1
6	24.2	46.4	524032	3	US-09-949-016-16928
7	24.2	48.4	524032	3	US-09-949-016-16929

ALIGNMENTS

8	24.2	48.4	524032	3	US-09-949-016-16930	Sequence 16930, A
9	24.2	48.4	524032	3	US-09-949-016-16931	Sequence 16931, A
10	24.2	48.4	529885	3	US-09-949-016-14340	Sequence 14340, A
11	24.2	48.4	529885	3	US-09-949-016-14341	Sequence 14341, A
12	24.2	48.4	529885	3	US-09-949-016-14342	Sequence 14342, A
13	24.2	48.4	529885	3	US-09-949-016-14343	Sequence 14343, A
14	24.2	48.4	529885	3	US-09-949-016-14344	Sequence 14344, A
15	24.2	48.4	529885	3	US-09-949-016-14345	Sequence 14345, A
16	24.2	48.4	529885	3	US-09-949-016-14346	Sequence 14346, A
17	24.2	48.4	529885	3	US-09-949-016-14347	Sequence 14347, A
18	23.8	47.6	152582	3	US-09-949-016-12086	Sequence 12086, A
19	23.8	47.6	152583	3	US-09-949-016-17390	Sequence 17390, A
20	23.8	47.6	152583	3	US-09-949-016-17391	Sequence 17391, A
21	22.8	45.6	5143	3	US-09-620-3120-3	Sequence 3, App1
22	22.8	45.6	148783	3	US-09-949-016-15729	Sequence 15729, A
23	22.8	45.6	331814	3	US-09-949-016-12008	Sequence 12008, A
24	22.8	45.6	331814	3	US-09-949-016-17056	Sequence 17056, A
25	22.6	45.2	7011	3	US-09-268-163-9	Sequence 9, App1
26	22.6	45.2	7011	5	US-10-033-026-9	Sequence 61449, A
27	22.4	44.8	601	3	US-09-949-016-61449	Sequence 61449, A
28	22.4	44.8	601	3	US-10-243-468-1	Sequence 61687, A
29	22.4	44.8	1194	3	US-10-243-468-1	Sequence 1, App1
30	22.4	44.8	2065	4	US-10-094-749-1293	Sequence 1293, Ap
31	22.4	44.8	163181	3	US-09-949-016-13730	Sequence 13730, A
32	22.4	44.8	206433	3	US-09-949-016-13527	Sequence 13527, A
33	22.4	44.8	254778	3	US-09-949-016-12417	Sequence 12417, A
34	22.2	44.4	601	3	US-09-949-016-182740	Sequence 182740, A
35	22.2	44.4	1689	3	US-09-247-155-61	Sequence 61, App1
36	22.2	44.4	1689	3	US-09-903-190-61	Sequence 61, App1
37	22.2	44.4	1746	3	US-08-951-130-5	Sequence 5, App1
38	22.2	44.4	1746	3	US-09-430-806A-5	Sequence 5, App1
39	22.2	44.4	1860	3	US-09-895-652A-4	Sequence 4, App1
40	22.2	44.4	2607	2	US-08-369-796-5	Sequence 5, App1
41	22.2	44.4	2607	2	US-08-852-091-5	Sequence 5, App1
42	22.2	44.4	2607	2	US-08-820-754-5	Sequence 5, App1
43	22.2	44.4	2607	3	US-08-956-652-5	Sequence 5, App1
44	22.2	44.4	2607	3	US-08-956-869-5	Sequence 5, App1
45	22.2	44.4	2607	3	US-08-948-547-5	Sequence 5, App1

RESULT 1
US-09-949-016-4981
; Sequence 4981, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES
THEROF
; FILE REFERENCE: C1001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20

; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FASTSEQ for Windows Version 4.0
; SEQ ID NO 4981
; LENGTH: 6760
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-4981

Query Match 55.6%; Score 27.8; DB 3; Length 6760;
Best Local Similarity 82.1%; Pred. No. 0.93;
Matches 32; Conservative 0; Mismatches 7; Indels 0; Gaps 0;

QY 12 ACTCCAGACAGGAGGAAAACTATTTCCATGATGATGA 50
| | | | | | | | | | | | | | | | | | | | | |
Db 424 AATMAAGACCAAGGAAAACTATTTCCATGATGATGA 462

RESULT 2

US-09-125-635-1
; Sequence 1, Application US/09125635
; Patent No. 6562589

; GENERAL INFORMATION:
; APPLICANT: THE UNITED STATES OF AMERICA represented by THE SE
; TITLE OF INVENTION: AIB1, A novel steroid receptor co-activator
; FILE REFERENCE: 49944
; CURRENT APPLICATION NUMBER: US/09/125,635
; PRIOR FILING DATE: 1998-08-21
; PRIOR APPLICATION NUMBER: 60/049,728
; PRIOR FILING DATE: 1997-06-17
; NUMBER OF SEQ ID NOS: 12
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 1
; LENGTH: 6835
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: CDS
; LOCATION: (201)..(4463)
US-09-125-635-1

Query Match 55.6%; Score 27.8; DB 3; Length 6835;
Best Local Similarity 82.1%; Pred. No. 0.93;
Matches 32; Conservative 0; Mismatches 7; Indels 0; Gaps 0;

QY 12 ACTCCAGACAGGAGGAAAACTATTTCCATGATGATGA 50
| | | | | | | | | | | | | | | | | | | | | |
Db 443 AATMAAGACCAAGGAAAACTATTTCCATGATGATGA 481

RESULT 3

US-09-949-016-16723
; Sequence 16723, Application US/09949016
; Patent No. 6812339

; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES
THEROF
; FILE REFERENCE: C14001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FASTSEQ for Windows Version 4.0
; SEQ ID NO 16723
; LENGTH: 157822
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-16723

Query Match 52.8%; Score 26.4; DB 3; Length 157822;
Best Local Similarity 96.4%; Pred. No. 6.8;
Matches 27; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 TCCCATGTGATCTCCGACGACGAGAA 28
| | | | | | | | | | | | | | | | | | | | | |
Db 122387 TCCCATGTGATCTCCGACGACGAGAA 122414

RESULT 4

US-09-125-635-9
; Sequence 9, Application US/09125635
; Patent No. 6562589

; GENERAL INFORMATION:
; APPLICANT: THE UNITED STATES OF AMERICA represented by THE SE
; TITLE OF INVENTION: AIB1, A novel steroid receptor co-activator
; FILE REFERENCE: 49944
; CURRENT APPLICATION NUMBER: US/09/125,635
; PRIOR FILING DATE: 1998-08-21
; PRIOR APPLICATION NUMBER: 60/049,728
; PRIOR FILING DATE: 1997-06-17
; NUMBER OF SEQ ID NOS: 12
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 9
; LENGTH: 4621
; TYPE: DNA
; ORGANISM: Mus musculus
; FEATURE:
; NAME/KEY: CDS
; LOCATION: (110)..(4318)
US-09-125-635-9

Query Match 52.4%; Score 26.2; DB 3; Length 4621;
Best Local Similarity 79.5%; Pred. No. 3.4;
Matches 31; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

OM nucleic - nucleic search, using sw model

Run on: March 7, 2007, 14:51:58 ; Search time 481 Seconds
(without alignments)

604,921 Million cell updates/sec

Title: US-10-751-113-3

Perfect score: 50

Sequence: 1 tgcacatgcatactccagga.....actatttcacatgatga 50

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 11084925 seqs, 290969241 residues 22169850

Total number of hits satisfying chosen parameters:

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%

Listing first 45 summaries

Database : Published Applications_NA_New.*
1: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US08_NEW_PUB.seq.*
2: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US06_NEW_PUB.seq.*
3: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US07_NEW_PUB.seq.*
4: /EMC_Celerra_SIDS3/ptodata/1/pubpna/PCT_NEW_PUB.seq.*
5: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US09_NEW_PUB.seq.*
6: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US10_NEW_PUB.seq.*
7: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US10_NEW_PUB.seq.*
8: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US10_NEW_PUB.seq.*
9: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US10_NEW_PUB.seq.*
10: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US10_NEW_PUB.seq.*
11: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US10_NEW_PUB.seq.*
12: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US10_NEW_PUB.seq.*
13: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US11_NEW_PUB.seq.*
14: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US11_NEW_PUB.seq.*
15: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US11_NEW_PUB.seq.*
16: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US11_NEW_PUB.seq.*
17: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US11_NEW_PUB.seq.*
18: /EMC_Celerra_SIDS3/ptodata/1/pubpna/US60_NEW_PUB.seq.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
------------	-------	-------------	--------	----	-------------

1	27.8	55.6	6760	8	US-10-940-774-4981	Sequence 4981, Ap
2	27.8	55.6	7923	14	US-11-283-329-155	Sequence 155, App
3	27.8	55.6	7935	14	US-11-266-748A-56675	Sequence 56675, A
4	27.8	55.6	7935	14	US-11-283-329-153	Sequence 153, App
5	27.6	55.2	1021	5	US-09-815-264-102471	Sequence 102471, A
6	27.6	55.2	1021	13	US-11-491-125A-41741	Sequence 41741, A
7	27.6	55.2	1052	5	US-09-815-264-16074	Sequence 16074, A
8	27.6	55.2	1113	5	US-09-815-264-40949	Sequence 40949, A
9	27.6	55.2	1415	5	US-09-815-264-73061	Sequence 73061, A
10	27.6	55.2	1415	13	US-11-491-125A-59555	Sequence 59555, A
11	27.6	55.2	1501	5	US-09-815-264-16262	Sequence 16262, A
12	27.6	55.2	1501	5	US-09-815-264-17389	Sequence 17389, A
13	27.6	55.2	1742	5	US-09-815-264-73078	Sequence 73078, A
14	27.6	55.2	1742	13	US-11-491-125A-54764	Sequence 54764, A
15	27.6	55.2	3206	13	US-11-491-125A-24151	Sequence 24151, A
16	27.6	55.2	4056	5	US-09-815-264-67843	Sequence 67843, A
17	27.6	55.2	4056	13	US-11-491-125A-29558	Sequence 29558, A
18	27.6	55.2	5747	13	US-11-491-125A-32347	Sequence 32347, A
19	27.6	55.2	6347	13	US-11-491-125A-46121	Sequence 46121, A
20	27.6	55.2	7819	5	US-09-815-264-70329	Sequence 70329, A
21	27.6	55.2	7819	13	US-11-491-125A-28595	Sequence 28595, A
22	27.6	55.2	15173	5	US-09-815-264-57772	Sequence 57772, A
23	27.6	55.2	15173	13	US-11-491-125A-38938	Sequence 38938, A
24	27.6	55.2	17359	13	US-11-491-125A-41656	Sequence 41656, A
25	27.6	55.2	17450	5	US-09-815-264-75824	Sequence 75824, A
26	27.6	55.2	19831	5	US-09-815-264-61400	Sequence 61400, A
27	27.6	55.2	19831	13	US-11-491-125A-21915	Sequence 21915, A
28	27.6	55.2	23604	5	US-09-815-264-70240	Sequence 70240, A
29	27.6	55.2	23605	13	US-11-491-125A-34250	Sequence 34250, A
30	27.6	55.2	25882	5	US-09-815-264-69888	Sequence 69888, A
31	27.6	55.2	30100	13	US-11-491-125A-26230	Sequence 26230, A
32	27.6	55.2	33842	5	US-09-815-264-59918	Sequence 59918, A
33	27.6	55.2	33842	13	US-11-491-125A-20056	Sequence 20056, A
34	27.6	55.2	42163	5	US-09-815-264-65963	Sequence 65963, A
35	27.6	55.2	42163	13	US-11-491-125A-39406	Sequence 39406, A
36	27.6	55.2	44601	5	US-09-815-264-74332	Sequence 74332, A
37	26.4	52.8	157822	7	US-10-940-774-16723	Sequence 16723, A
38	26	52.0	3718	13	US-11-491-125A-31020	Sequence 31020, A
39	26	52.0	14959	13	US-11-491-125A-9660	Sequence 9660, Ap
40	26	52.0	20779	13	US-11-491-125A-12582	Sequence 12582, A
41	26	52.0	20784	5	US-09-815-264-63140	Sequence 63140, A
42	25.2	50.4	789	14	US-11-266-748A-113927	Sequence 113927, A
43	25.2	50.4	789	14	US-11-266-748A-161615	Sequence 161615, A
44	24.6	49.2	5298	13	US-11-491-125A-58886	Sequence 58886, A
45	24.6	49.2	22244	13	US-11-491-125A-42217	Sequence 42217, A

ALIGNMENTS

RESULT 1
US-10-940-774-4981
; Sequence 4981, Application US/10940774
; Publication No. US20070037165A1
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.

```

; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES
THEREOF
; FILE REFERENCE: C1001307
; CURRENT APPLICATION NUMBER: US/10/940.774
; CURRENT FILING DATE: 2004-09-15
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4981
; LENGTH: 6760
; TYPE: DNA
; ORGANISM: Human
US-10-940-774-4981

Query Match      55.6%; Score 27.8; DB 8; Length 6760;
Best Local Similarity 82.1%; Pred. No. 6.4;
Matches 32; Conservative 0; Mismatches 7; Indels 0; Gaps 0;

QY      12 ACTCCAGCAAGGAGAAACTATTTCATGATGATGA 50
DB      424 AATTAAGGCAAGGAGAAACTATTTCATGATGATGA 462

RESULT 2
US-11-283-329-155
; Sequence 155, Application US/11283329
; Publication No. US20060134670A1
; GENERAL INFORMATION:
; APPLICANT: Piu, Fabrice
; TITLE OF INVENTION: ENABLING TOOLS TO IDENTIFY LIGANDS FOR
; FILE REFERENCE: ACADIA.043A
; CURRENT APPLICATION NUMBER: US/11/283,329
; CURRENT FILING DATE: 2005-11-18
; PRIOR APPLICATION NUMBER: 60/629,811
; PRIOR FILING DATE: 2004-11-19
; NUMBER OF SEQ ID NOS: 242
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 155
; LENGTH: 7923
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: CDS
; LOCATION: (206)...(448)
; OTHER INFORMATION: SRC-3 variant 2
US-11-283-329-155

Query Match      55.6%; Score 27.8; DB 14; Length 7923;
Best Local Similarity 82.1%; Pred. No. 6.5;
Matches 32; Conservative 0; Mismatches 7; Indels 0; Gaps 0;
```

```

QY      12 ACTCCAGCAAGGAGAAACTATTTCATGATGATGA 50
DB      448 AATTAAGGCAAGGAGAAACTATTTCATGATGATGA 486

RESULT 3
US-11-266-748A-56675
; Sequence 56675, Application US/11266748A
; Publication No. US20060134663A1
; GENERAL INFORMATION:
; APPLICANT: Harkin, Paul
; APPLICANT: Johnston, Karl
; APPLICANT: Mulligan, Patrick
; TITLE OF INVENTION: Transcriptome Microarray Technology and
; FILE REFERENCE: 55815-0102 (319189)
; CURRENT APPLICATION NUMBER: US/11/266,748A
; CURRENT FILING DATE: 2005-11-03
; PRIOR APPLICATION NUMBER: EP 04105479.2
; PRIOR FILING DATE: 2004-11-03
; PRIOR APPLICATION NUMBER: EP 04105482.6
; PRIOR FILING DATE: 2004-11-03
; PRIOR APPLICATION NUMBER: EP 04105483.4
; PRIOR FILING DATE: 2004-11-03
; PRIOR APPLICATION NUMBER: EP 04105507.0
; PRIOR FILING DATE: 2004-11-03
; PRIOR APPLICATION NUMBER: EP 04105485.9
; PRIOR FILING DATE: 2004-11-03
; PRIOR APPLICATION NUMBER: EP 04105484.2
; PRIOR FILING DATE: 2004-11-03
; PRIOR APPLICATION NUMBER: US 60/662,276
; PRIOR FILING DATE: 2005-03-14
; PRIOR APPLICATION NUMBER: US 60/700,293
; PRIOR FILING DATE: 2005-07-18
; NUMBER OF SEQ ID NOS: 483996
; SOFTWARE: Patentin version 3.3
; SEQ ID NO 56675
; LENGTH: 7935
; TYPE: DNA
; ORGANISM: Homo Sapiens
US-11-266-748A-56675

Query Match      55.6%; Score 27.8; DB 14; Length 7935;
Best Local Similarity 82.1%; Pred. No. 6.5;
Matches 32; Conservative 0; Mismatches 7; Indels 0; Gaps 0;

QY      12 ACTCCAGCAAGGAGAAACTATTTCATGATGATGA 50
DB      448 AATTAAGGCAAGGAGAAACTATTTCATGATGATGA 486

RESULT 4
US-11-283-329-153
; Sequence 153, Application US/11283329
; Publication No. US20060134670A1
; GENERAL INFORMATION:
```